ELSEVIER

Talanta 58 (2002) 1389–1397

Talanta

www.elsevier.com/locate/talanta

Volume Contents

Volume 58 (2002)

No. 1 **16 August 2002**

Special Issue: ARSENIC, analytical chemistry and beyond...

Editorial

P.K. Dasgupta (Lubbock, TX, USA) . . . 1

Regular papers

Arsenic calamity in the Indian subcontinent: What lessons have been learned?
D. Chakraborti, M.M. Rahman, K. Paul, U.K. Chowdhury, M.K. Sengupta, D. Lodh, C.R. Chanda, K.C. Saha and S.C. Mukherjee (Kolkata, India) . . . 3

Voltammetric measurement of arsenic in natural waters
R. Feeney and S.P. Kounaves (Medford, MA, USA) . . . 23

Electrochemical measurement and speciation of inorganic arsenic in groundwater of Bangladesh
S.B. Rasul, A.K.M. Munir, Z.A. Hossain (Kushtia, Bangladesh), A.H. Khan (Dhaka, Bangladesh), M. Alauddin (Staten Island, NY, USA) and A. Hussam (Fairfax, VA, USA) . . . 33

Determination of arsenic at a gold-plated carbon paste electrode using constant current stripping analysis
I. Švancara, K. Vytřas (Pardubice, Czech Republic), A. Bobrowski (Krakow, Poland) and K. Kalcher (Graz, Austria) . . . 45

Investigation on stability and preservation of arsenic species in iron rich water samples
B. Daus, J. Mattusch, R. Wennrich and H. Weiss (Leipzig, Germany) . . . 57

Arsenic accumulation and speciation analysis in wool from sheep exposed to arsenosugars
A. Raab, H.R. Hansen, L. Zhuang and J. Feldmann (Old Aberdeen, UK) . . . 67

Arsenic speciation analysis
Z. Gong, X. Lu, M. Ma, C. Watt and X.C. Le (Edmonton, Canada) . . . 77

Arsenic speciation in contaminated soils
S. Garcia-Manyes, G. Jiménez, A. Padró, R. Rubio and G. Rauret (Barcelona, Spain) . . . 97

Speciation of arsenic in body fluids
K.T. Suzuki, B.K. Mandal and Y. Ogra (Chiba, Japan) . . . 111

Determination of arsenite, arsenate, and monomethylarsonic acid in seawater by ion-exclusion chromatography combined with inductively coupled plasma mass spectrometry using reaction cell and hydride generation techniques
T. Nakazato, H. Tao (Ibaraki, Japan), T. Taniguchi (Kanagawa, Japan) and K. Isshiki (Kouchi, Japan) . . . 121

A gradient anion exchange chromatographic method for the speciation of arsenic in lobster tissue extracts
J.A. Brisbin, C. B'Hymer and J.A. Caruso (Cincinnati, OH, USA) . . . 133

Determination of arsenate and organic arsenic via potentiometric titration of its heteropoly anions
R. Metelka, S. Slavíková and K. Vytřas (Pardubice, Czech Republic) . . . 147

Photometric measurement of trace As(III) and As(V) in drinking water
P.K. Dasgupta, H. Huang, G. Zhang and G.P. Cobb (Lubbock, TX, USA) . . . 153

Arsenic contamination in groundwater: some analytical considerations
D.G. Kinniburgh (Oxon, UK) and W. Kosmus (Graz, Austria) . . . 165

Evaluation of a GFP reporter gene construct for environmental arsenic detection
F.F. Roberto, J.M. Barnes and D.F. Bruhn (Idaho Falls, ID, USA) 181
Development of ultratrace laser spectrometry techniques for measurements of arsenic
J.B. Simeonsson (Durham, NC, USA), S.A. Elwood (West Long Branch, NJ, USA), M. Ezer (Kahramanmaras, Turkey), H.L. Pacquette (Columbus, OH, USA), D.J. Swart (Macomb, IL, USA), H.D. Beach and D.J. Thomas (Durham, NC, USA) 189
Arsenic round the world: a review
B.K. Mandal and K.T. Suzuki (Chiba, Japan) 201

Calendar of forthcoming meetings N1

No. 2 **23 August 2002**

Regular papers
Uranyl-selective PVC membrane electrodes based on some recently synthesized benzo-substituted macrocyclic diamides
M. Shamsipur (Kermanshah, Iran), A. Soleymanpour, M. Akhond, H. Sharghi and A.R. Massah (Shiraz, Iran) 237
Titrimetric analysis with adding the titrant by means of electrodialysis
A.D. Dakashev and V.T. Dimitrova (Bourgas, Bulgaria) 247
Selection of the wavelength range and spectrophotometric determination of leucovorin and methotrexate in human serum by a net analyte signal based method
A. Espinosa-Mansilla, I. Durán Merás, M. José Rodríguez Gómez, A. Muñoz de la Peña and F. Salinas (Badajoz, Spain) 255
Application of FT-IR spectroscopy to the characterisation and classification of wines, brandies and other distilled drinks
M. Palma and C.G. Barroso (Cadiz, Spain) 265
Determination of antitubercular drugs in urine and pharmaceuticals by LC using a gradient flow combined with programmed diode array photometric detection
A. Espinosa-Mansilla, M.I. Acedo-Valenzuela, A. Muñoz de la Peña, F. Cañada Cañada and F. Salinas López (Badajoz, Spain) 273
Solvent extraction—spectrophotometric determination of trace amounts of ammonium, barium and potassium in a mixture by dicyclohexyl-18-crown-6 and orange II
H. Parham and M. Mobarakzadeh (Ahvaz, Iran) 281
Separation and preconcentration in a batch mode of Cd (II), Cr (III, VI), Cu (II), Mn (II, VII) and Pb (II) by solid-phase extraction by using of silica modified with N-propylsalicylaldimine
K.S. Abou-El-Sherbini (Cairo, Egypt), I.M.M. Kenawy (Mansoura, Egypt), M.A. Hamed (Suez, Egypt), R.M. Issa and R. Elmorsi (Tanta, Egypt) 289
Cyclodextrin enhanced spectrofluorimetric determination of fluoxetine in pharmaceuticals and biological fluids
J.J. Berzas, A. Alañón and J.A. Lázaro (Ciudad Real, Spain) 301
Kinetic–spectrophotometric determination of selenium in natural water after preconcentration of elemental selenium on activated carbon
A. Afkhami and T. Madrakian (Hamadan, Iran) 311
Determination of levofloxacin in human urine by adsorptive square-wave anodic stripping voltammetry on a glassy carbon electrode
A. Radi (Dumyat, Egypt) and Z. El-Sherif (Cairo, Egypt) 319
Extraction-spectrometric determination of lead in high-purity aluminium salts
J. Kokšal, V. Synek and P. Janoš (Ústí nad Labem, Czech Republic) 325
Electrothermal atomic absorption spectrometric determination of cadmium and lead with stabilized phosphate deposited on permanently modified platforms
D.L. Tsalev (Sofia, Bulgaria), L. Lampugnani (Pisa, Italy), R. Georgieva, K.K. Chakarova and I.I. Petrov Jr. (Sofia, Bulgaria) 331
Solid-contact ion-selective electrodes for aromatic cations based on π-coordinating soft carriers
J. Bobacka (Åbo-Turku, Finland), T. Alaviuhkola, V. Hietapelto (Oulu, Finland), H. Koskinen, A. Lewenstam (Åbo-Turku, Finland), M. Lämsä, J. Pursiainen (Oulu, Finland) and A. Ivaska (Åbo-Turku, Finland) 341

Creatinine sensitive biosensor based on ISFETs and creatinine deiminase immobilised in BSA membrane
A.P. Soldatkin (Ecully, France; Kiev, Ukraine), J. Montoriol, W. Sant (Labege, France), C. Martelet and N. Jaffrezic-Renault (Ecully, France) 351
Novel sulfate ion-selective polymeric membrane electrode based on a derivative of pyrilium perchlorate
M.R. Ganjali, L. Naji, T. Poursaberi, M. Taghizadeh, H. Pirelahi, M. Yousefi (Tehran, Iran), A. Yeganeh-Faal and M. Shamsipur (Kermanshah, Iran) 359
Environmetric modeling of emission sources for dry and wet precipitation from an urban area
T. Spanos (Kavala, Greece), V. Simeonov (Sofia, Bulgaria) and G. Andreev (Varna, Bulgaria) 367
Demetalisation of soils by continuous acidified subcritical water extraction
E. Priego-López and M.D. Luque de Castro (Córdoba, Spain) 377
Internal solid contact sensor for the determination of doxycycline hydrochloride in pharmaceutical formulation
X.X. Sun (Changzhou, People's Republic of China) and H.Y. Aboul-Enein (Riyadh, Saudi Arabia) 387
Aluminium(III)-selective electrode based on a newly synthesized tetradentate Schiff base
A. Abbaspour, A.R. Esmaeilbeig, A.A. Jarrahpour, B. Khajeh and R. Kia (Shiraz, Iran) 397
Speciation of polyelectrolytes in natural fluids: Protonation and interaction of polymethacrylates with major components of seawater
C. De Stefano, S. Sammartano (Messina, Italy), A. Gianguzza and D. Piazzese (Palermo, Italy) 405

Calendar of forthcoming meetings N5

No. 3 **12 September 2002**

Regular papers
Determination of antimony(III) in environmental water samples in microemulsion system by the fluorescence quenching method
Q. Wei, J. Yang, Y. Zhang, G. Chang and B. Du (Jinan, People's Republic of China). 419
Amperometric determination of morphine on cobalt hexacyanoferrate modified electrode in rat brain microdialysates
F. Xu, M. Gao, L. Wang, T. Zhou, L. Jin (Shanghai, China) and J. Jin (Gifu, Japan). 427
Construction and evaluation of a flow-through cell adapted to a commercial static mercury drop electrode (SMDE) to study the adsorption of Cd(II) and Pb(II) on vermiculite
G. Abate, J. Lichtig and J.C. Masini (São Paulo, Brazil) 433
Cesium ion selective electrode based on calix[4]crown ether–ester
R.K. Mahajan, M. Kumar, V. Sharma (nee Bhalla) and I. Kaur (Amritsar, India) 445
Determination of thiols in urinary sample by capillary-column liquid chromatography with amperometric detection at a carbon electrode
S. Zhang, F. Huang, J. Zhao, L. Wen, F. Zhou and P. Yang (Shanghai, People's Republic of China). 451
A flow cell optosensor for lead based on immobilized gallocynin in chitosan membrane
N.A. Yusof and M. Ahmad (Bangi, Malaysia) 459
Spectrophotometric determination of silver with 2-(2-quinolylazo)-5-diethylaminoaniline
Q. Hu (Kunming, Yuxi, PR China), Y. Guangyu, Z. Huang and J. Yin (Kunming, PR China). 467
An on-line system for preconcentration and determination of lead in wine samples by FAAS
V.A. Lemos (Jequié, Brazil), M. de la Guardia (Valencia, Spain) and S.L.C. Ferreira (Salvador, Brazil). 475
Determination of lead and cadmium in titanium dioxide by differential pulse anodic stripping voltammetry
M. Panigati, M. Piccone, G. D'Alfonso, M. Orioli and M. Carini (Milan, Italy) 481
Slurry sampling ETAAS determination of sodium impurities in optical crystals of potassium titanyl phosphate and potassium gadolinium tungstate
A. Detcheva, G. Gentscheva, I. Havezov and E. Ivanova (Sofia, Bulgaria). 489
Monitoring of time variation and effect of some meteorological parameters in polynuclear aromatic hydrocarbons in Ioannina, Greece with the aid of HPLC-fluorescence analysis
T.I. Sikalos, E.K. Paleologos and M.I. Karayannis (Ioannina, Greece) 497
Study on the solid phase extraction of Co(II)-QADEAB chelate with C18 disk and its application to the determination of trace cobalt
G. Yang, Z. Huang, Q. Hu and J. Yin (Kunming, People's Republic of China). 511

Rapid and sensitive handheld biosensor for detection of hantavirus antibodies in wild mouse blood samples under field conditions
S. Vetcha, E. Wilkins, T. Yates and B. Hjelle (Albuquerque, NM, USA) . . . 517
Anodic oxidation of hydrazine at carbon nanotube powder microelectrode and its detection
Y.-D. Zhao (Wuhan, PR China), W.-D. Zhang (Singapore, Singapore), H. Chen and Q.-M. Luo (Wuhan, PR China) . 529
Column-switching high-performance liquid chromatographic analysis of carbamazepine and its principal metabolite in human plasma with direct sample injection using an alkyl-diol silica (ADS) precolumn
M.R. Brunetto, M.A. Obando, A. Fernández, M. Gallignani, J.L. Burguera and M. Burguera (Mérida, Venezuela) . . . 535
Multilayer sol–gel membranes for optical sensing applications: single layer pH and dual layer CO_2 and NH_3 sensors
D.A. Nivens, M.V. Schiza and S.M. Angel (Columbia, SC, USA) . . . 543
Measuring the transverse concentration gradient between adjacent laminar flows in a microfluidic device by a laser-based refractive index gradient detector
C.D. Costin and R.E. Synovec (Seattle, WA, USA) . . . 551
Determination of free fatty acids and lipase activity in milk: quality and storage markers
M.L. Antonelli, R. Curini, D. Scricciolo and G. Vinci (Rome, Italy) . . . 561
Multicomponent determinations by partial least-squares regression analysis of fast-reaction multiwavelength profiles obtained by continuous addition of a reagent
G. López-Cueto (Alicante, Spain), J. Lizarreta, M. Ostra and C. Ubide (San Sebastián, Spain) . . . 569
Spectrophotometric multicomponent determination of sunset yellow, tartrazine and allura red in soft drink powder by double divisor-ratio spectra derivative, inverse least-squares and principal component regression methods
E. Dinç, E. Baydan, M. Kanbur and F. Onur (Ankara, Turkey) . . . 579
Determination of gold and the platinum group elements in geological samples by ICP-MS after nickel sulphide fire assay: difficulties encountered with different types of geological samples
R. Juvonen, T. Lakomaa and L. Soikkeli (Espoo, Finland) . . . 595

Short communication
Voltammetric detection of sulfonamides at a poly(3-methylthiophene) electrode
T.A.M. Msagati and J.C. Ngila (Gaborone, Botswana) . . . 605

Calendar of forthcoming meetings . . . N9

No. 4 **16 October 2002**

Regular papers
Schistosoma japonicum antibody assay by immunosensing with fluorescence detection using 3,3′,5,5′-tetramethylbenzidine as substrate
F.-C. Gong, Z.-J. Zhou, G.-L. Shen and R.-Q. Yu (Changsha, PR China) . . . 611
Cloud point extraction of vanadium in parenteral solutions using a nonionic surfactant (PONPE 5.0) and determination by flow injection-inductively coupled plasma optical emission spectrometry
G.M. Wuilloud, J.C.A. de Wuilloud, R.G. Wuilloud, M.F. Silva (San Luis, Argentina), R.A. Olsina and L.D. Martinez (San Luis, Buenos Aires, Argentina) . . . 619
Determination of total chromium traces in tannery effluents by electrothermal atomic absorption spectrometry, flame atomic absorption spectrometry and UV–visible spectrophotometric methods
M.I.C. Monteiro, I.C.S. Fraga, A.V. Yallouz, N.M.M. de Oliveira and S.H. Ribeiro (Rio de Janeiro, Brazil) . . . 629
Catalytic resonance scattering spectral method for the determination of trace amounts of Se
Z. Jiang (Guilin, Chongqiang, People's Republic of China), Q. Liu (Guilin, People's Republic of China) and S. Liu (Chongqiang, People's Republic of China) . . . 635
A sulpha-drug sensitive sensor based on ion-pair complex modified PQC resonator
J. Yuan and S. Yao (Changsha, People's Republic of China) . . . 641
Development of passive sampler technique for ozone monitoring. Estimation of indoor and outdoor ozone concentration
M.I.H. Helaleh (Seto City, Japan), S. Ngudiwaluyo (Tokushima, Japan), T. Korenaga (Tokyo, Japan) and K. Tanaka (Seto City, Japan) . . . 649
A new simple and sensitive fluorometric method for the determination of hydroxyl radical and its application
C. Tai, X. Gu, H. Zou and Q. Guo (Beijing, People's Republic of China) . . . 661

1,8-Dihydroxyanthraquinone anchored on silica gel: synthesis and application as solid phase extractant for lead(II), zinc(II) and cadmium(II) prior to their determination by flame atomic absorption spectrometry
A. Goswami and A.K. Singh (New Delhi, India) . . . 669
Determination of nickel by anodic adsorptive stripping voltammetry with a cation exchanger-modified carbon paste electrode
P. González, V.A. Cortínez and C.A. Fontán (San Luis, Argentina) . . . 679
Determination of lysergic acid diethylamide (LSD) by application of online 77 K fluorescence spectroscopy and a sweeping technique in micellar electrokinetic chromatography
C. Fang (Taipei, Taiwan), J.-T. Liu (Taiwan, Taiwan) and C.-H. Lin (Taipei, Taiwan) . . . 691
Solid phase extractive preconcentration of thorium onto 5,7-dichloroquinoline-8-ol modified benzophenone
C.R. Preetha, J.M. Gladis and T.P. Rao (Trivandrum, India) . . . 701
Simultaneous determination of uric acid and creatinine in urine by an eco-friendly solvent-free high performance liquid chromatographic method
J.-F. Jen, S.-L. Hsiao and K.-H. Liu (Taichung, Taiwan, ROC) . . . 711
Fiber optic sodium and potassium sensing by using a newly synthesized squaraine dye in PVC matrix
K. Ertekin, M. Tepe, B. Yenigül (Izmir, Turkey), E.U. Akkaya (Ankara, Turkey) and E. Henden (Izmir, Turkey) . . . 719
Flow system exploiting multicommutation to increase sample residence time for improved sensitivity. Simultaneous determination of ammonium and *ortho*-phosphate in natural water
R.N. Fernandes (São Luís, Brazil) and B.F. Reis (Piracicaba, Brazil) . . . 729
Electrochemical control of solid phase micro-extraction: conducting polymer coated film material applicable for preconcentration/analysis of neutral species
B.J. Yates, K.R. Temsamani, Ö. Ceylan, S. Öztemiz, T.P. Gbatu, R.A. LaRue, U. Tamer and H.B. Mark Jr (Cincinnati, OH, USA) . . . 739
Voltammetric determination of diethylstilbestrol at carbon paste electrode using cetylpyridine bromide as medium
S. Zhang (Wuhan, Enshi, People's Republic of China), K. Wu and S. Hu (Wuhan, People's Republic of China) . . . 747
A close look at silver oxide colloid for surface-enhanced Raman scattering
Y. Xiao, Y.-S. Li and G.H. Swihart (Memphis, TN, USA) . . . 755
Solvent extraction separation of rhodium(III) with *N*-*n*-octylaniline as an extractant
S.S. Kolekar and M.A. Anuse (Kolhapur, India) . . . 761
Reversed-phase liquid chromatographic simultaneous determination of iron(III) and iron(II) as complexes with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol: Determination of iron(III) and iron(II) in water samples and ultrasound field effect on distribution of iron(III) and iron(II) in micellar solution
S. Oszwałdowski and A. Pikus (Warsaw, Poland) . . . 773
Flow injection chemiluminescence determination of hydrazine by oxidation with chlorinated isocyanurates
A. Safavi and M.A. Karimi (Shiraz, Iran) . . . 785
N,*N*′-disalicylidene-1,3-diaminopropane as a selective chelating titrant for copper(II)
E. Kormalı and E. Kılıç (Ankara, Turkey) . . . 793
Potentiometric determination of antimony in metal(II) hexafluoroantimonates(V)
M. Ponikvar, B. Pihlar and B. Žemva (Ljubljana, Slovenia) . . . 803
FTIR quantitative analysis of calcium carbonate (calcite) and silica (quartz) mixtures using the constant ratio method. Application to geological samples
F.B. Reig, J.V.G. Adelantado and M.C.M. Moya Moreno (Valencia, Spain) . . . 811

Calendar of forthcoming meetings . . . N13

No. 5 **12 November 2002**

Regular papers
Capillary electrophoresis as a method for ozone determination in atmospheres
C.L. Copper (Annapolis MD, USA) and J.H. Callahan (Washington, DC, USA) . . . 823
On-line preconcentration and determination of copper, lead and chromium(VI) using unloaded polyurethane foam packed column by flame atomic absorption spectrometry in natural waters and biological samples
A.N. Anthemidis, G.A. Zachariadis and J.A. Stratis (Thessaloniki, Greece) . . . 831
Spectrofluorimetric study of the β-cyclodextrin–*rubidate* complex and determination of *rubidate* by β-CD-enhanced fluorimetry
B. Tang, L. Ma and C. Ma (Jinan, People's Republic of China) . . . 841

Fluorimetric determination of fluoride in a flow assembly integrated on-line to an open/closed FIA system to remove interference by solid phase extraction
M. Garrido, A.G. Lista, M. Palomeque and B.S. Fernández Band (Bahia Blanca, Argentina) 849
Fluorimetric determination of nitrogen oxides in the air by a novel red-region fluorescent reagent
X.-Q. Zhan (Zhangzhou, People's Republic of China), D.-H. Li, H. Zheng, J.-G. Xu (Xiamen, People's Republic of China) and Y.-Q. Zhou (Xiaman, People's Republic of China) 855
Xylenol orange adsorbed on silica surface as a solid phase reagent for lead determination using diffuse reflectance spectroscopy
O.A. Zaporozhets and L.Y. Tsyukalo (Kyiv, Ukraine) 861
Resonance light scattering technique for the determination of proteins with resorcinol yellow and OP
Y.-j. Chen, J.-h. Yang, X. Wu, T. Wu and Y.-x. Luan (Jinan, People's Republic of China) 869
Liquid–liquid extraction, separation recovery and transport of tantalum by crown-ether
Y.K. Agrawal (Ahmedabad, India) 875
On-line preconcentration and determination of trace metals using a flow injection system coupled to ion chromatography
M.R. Bin Abas, I.A. Takruni, Z. Abdullah (Kuala Lumpur, Malaysia) and N.M. Tahir (Kuala Terengganu, Malaysia). 883
Long pathlength absorbance spectroscopy: trace copper analysis using a 4.4 m liquid core waveguide
M.R. Callahan, J.B. Rose and R.H. Byrne (St. Petersburg, FL, USA) 891
Determination of As(III), As(V), monomethylarsonic acid, dimethylarsinic acid and arsenobetaine by HPLC–ICP–MS: analysis of reference materials, fish tissues and urine
K. Wrobel, K. Wrobel, B. Parker, S.S. Kannamkumarath and J.A. Caruso (Cincinnati, OH, USA) 899
Quantitive binding constants of H^+-selective chromoionophores and anion ionophores in solvent polymeric sensing membranes
Y. Qin and E. Bakker (Auburn, AL, USA) 909
Square-wave cathodic stripping voltammetric analysis of RDX using mercury-film plated glassy carbon electrode
S.-Y. Ly, D.-H. Kim (Seoul, South Korea) and M.-H. Kim (Dunwoody, GA, USA) 919
Selective extraction of gold(III) in the presence of Pd(II) and Pt(IV) by salting-out of the mixture of 2-propanol and water
N.H. Chung and M. Tabata (Saga, Japan) 927
Spectrophotometric determination of arsenic via arsine generation and in-situ colour bleaching of methylene blue (MB) in micellar medium
S. Kundu, S.K. Ghosh, M. Mandal, T. Pal and A. Pal (Kharagpur, India) 935
Amperometric determination of acetylsalicylic acid in drugs by batch injection analysis at a copper electrode in alkaline solutions
M. do Socorro Maia Quintino, D. Corbo, M. Bertotti and L. Angnes (São Paulo, Brazil) 943
Chiral discrimination of phenoxypropionic acid herbicide enantiomers on teicoplanin phase: methanol dependence and eluent pH consideration
Y.-C. Guillaume, T.-T. Truong, L. Nicod, J. Millet and M. Thomassin (Besançon, France) 951
Food analyses: a new calorimetric method for ascorbic acid (vitamin C) determination
M.L. Antonelli, G. D'Ascenzo, A. Laganà and P. Pusceddu (Rome, Italy) 961
Extraction and exchange behavior of metal species in therapeutically applied peat
A.H. Rosa, J.C. Rocha (Araraquara, Brazil) and P. Burba (Dortmund, Germany) 969
Study of the short-term release of the ionic fraction of heavy metals from dental amalgam into synthetic saliva, using anodic stripping voltammetry with microelectrodes
G. Sanna, M.I. Pilo, P.C. Piu, N. Spano, A. Tapparo, G.G. Campus (Sassari, Italy) and R. Seeber (Modena, Italy) . . 979
Flow injection chemiluminescent method for the successive determination of L-cysteine and L-cystine using photogenerated tris(2,2′-bipyridyl) ruthenium (III)
T. Pérez-Ruiz, C. Martínez-Lozano, V. Tomás and J. Martín (Murcia, Spain) 987
Determination of residual chlorine in greywater using *o*-tolidine
J.G. March, M. Gual and B.M. Simonet (Palma de Mallorca, Spain) 995
Effects of different parameters on supercritical fluid extraction of steroid drugs, from spiked matrices and tablets
Y. Yamini, M. Asghari-Khiavi and N. Bahramifar (Tehran, Iran) 1003

Announcement 1011

Calendar of forthcoming meetings N15

No. 6 **6 December 2002**

A Collection of Papers Presented at the 11th International Conference on Flow Injection Analysis (ICFIA 2001) Chiang Mai, Thailand, 16–20 December 2001

Edited by
K. Grudpan

Editorial
K. Grudpan (Chiang Mai, Thailand) 1013

Instrumentation
Miniature flow injection analyser for laboratory, shipboard and in situ monitoring of nitrate in estuarine and coastal waters
P.C.F.C. Gardolinski (Plymouth, UK), A.R.J. David (Devon, UK) and P.J. Worsfold (Plymouth, UK) 1015
Flow analysis based on a pulsed flow of solution: theory, instrumentation and applications
P.S. Francis, S.W. Lewis, K.F. Lim (Geelong, Australia), K. Carlsson and B. Karlberg (Stockholm, Sweden) 1029
A compact flow injection analysis system for surface mapping of phosphate in marine waters
A.J. Lyddy-Meaney, P.S. Ellis (Clayton, Australia), P.J. Worsfold (Plymouth, UK), E.C.V. Butler (Hobart, Australia) and I.D. McKelvie (Clayton, Australia) 1043
Repetitive determination of chloride using the circulation of the reagent solution in closed flow-through system
M. Zenki and Y. Iwadou (Okayama, Japan) 1055
Nafion–PAN optical chemical sensor: optimization by FIA
L.C. Coo and C.J. Belmonte (Quezon City, Philippines) 1063
Determination of cyanide using flow-injection multisensor system
A. Ipatov, M. Ivanov, S. Makarychev-Mikhailov, V. Kolodnikov, A. Legin and Y. Vlasov (St. Petersburg, Russia) . . . 1071
Flow-injection simultaneous determination of iron(III) and copper(II) and of iron(III) and palladium(II) based on photochemical reactions of thiocyanato-complexes
K. Oguma and O. Yoshioka (Chiba, Japan) 1077

Sequential injection analysis
On-line dilution and determination of the amount of concentrated hydrochloric acid in the final products from a hydrochloric acid production plant using a sequential injection titration system
J.K.F. van Staden, M.G. Mashamba and R.I. Stefan (Pretoria, South Africa) 1089
Determination of paracetamol in pharmaceutical formulations using a sequential injection system
J.K.F. van Staden and M.M. Tsanwani (Pretoria, South Africa) 1095
Determination of boron as boric acid in eye lotions using a sequential injection system
J.K.F. van Staden and M.M. Tsanwani (Pretoria, South Africa) 1103
Determination of the total acidity in soft drinks using potentiometric sequential injection titration
J.K.F. van Staden, M.M.G. Mashamba and R.R.I. Stefan (Pretoria, South Africa) 1109
On-line separation, simultaneous dilution and spectrophotometric determination of zinc in fertilisers with a sequential injection system and xylenol orange as complexing agent
J.K.F. van Staden and S.S.I. Tlowana (Pretoria, South Africa) 1115
Spectrophotometric determination of carp vitellogenin using a sequential injection analysis technique equipped with a jet ring cell
N. Soh, H. Nishiyama, K. Mishima, T. Imato, T. Masadome (Fukuoka, Japan), Y. Asano (Aomori, Japan), Y. Kurokawa (Fukuoka, Japan), H. Tabei (Ibaraki, Japan) and S. Okutani (Aomori, Japan) 1123
Spectrophotometric determination of iron(III) and total iron by sequential injection analysis technique
M. Kass and A. Ivaska (Turku-Åbo, Finland) 1131
Sequential injection redox or acid–base titration for determination of ascorbic acid or acetic acid
N. Lenghor, J. Jakmunee (Chiang Mai, Thailand), M. Vilen, R. Sara (Turku, Finland), G.D. Christian (Seattle, WA, USA) and K. Grudpan (Chiang Mai, Thailand) 1139
Determination of rhodamine 123 by sequential injection technique for pharmacokinetic studies in the rat placenta
H. Sklenářová, P. Pávek, D. Šatínský, P. Solich, R. Karlíček, F. Štaud and Z. Fendrich (Hradec Kralove, Czech Republic) 1145
Automated sequential injection fluorimetric determination and dissolution studies of Ergotamine Tartrate in pharmaceuticals
Z. Legnerová, H. Sklenářová and P. Solich (Hradec Králové, Czech Republic) 1151

Atomic/mass spectroscopy
A flow injection-ETAAS system for the on-line determination of total and dissolved silica in waters
M. Burguera, J.L. Burguera, P. Carrero and C. Rondón (Merida, Venezuela) 1157

An on-line flow-injection microwave-assisted mineralization and a precipitation/dissolution system for the determination of molybdenum in blood serum and whole blood by electrothermal atomic absorption spectrometry
J.L. Burguera, M. Burguera and C. Rondón (Mérida, Venezuela) 1167
A comparison of enrichment factor of knotted and serpentine reactors using flow injection sorption and preconcentration for the off-line determination of some trace elements by inductively coupled plasma mass spectrometry
S. Liawruangrath, W. Som-aum (Chiang Mai, Thailand) and A. Townshend (Hull, UK). 1177
Determination of rare earth elements in seawater by on-line column preconcentration inductively coupled plasma mass spectrometry
S. Hirata (Hiroshima, Japan), T. Kajiya, M. Aihara (Higashi-Hiroshima, Japan), K. Honda and O. Shikino (Osaka, Japan). 1185

Electrochemistry
Simple flow injection system for colorimetric determination of iodate in iodized salt
N. Choengchan, K. Uraisin, K. Choden (Bangkok, Thailand), W. Veerasai (Bangkok, Nakorn Pathom, Thailand), K. Grudpan (Chiang Mai, Thailand) and D. Nacapricha (Bangkok, Nakorn Pathom, Thailand) 1195
Pulsed amperometric detection of underivatized amino acids using polypyrrole modified copper electrode in acidic solution
B.A. Deore, H. Shiigi and T. Nagaoka (Ube, Japan) 1203
Electrochemical analysis of D-penicillamine using a boron-doped diamond thin film electrode applied to flow injection system
N. Wangfuengkanagul and O. Chailapakul (Bangkok, Thailand). 1213
Design and fabrication of a low-cost flow-through cell for the determination of acetaminophen in pharmaceutical formulations by flow injection cyclic voltammetry
P. Masawat, S. Liawruangrath, Y. Vaneesorn and B. Liawruangrath (Chiang Mai, Thailand). 1221
Exploiting flow injection and sequential injection anodic stripping voltammetric systems for simultaneous determination of some metals
S. Suteerapataranon, J. Jakmunee, Y. Vaneesorn and K. Grudpan (Chiang Mai, Thailand) 1235

Luminescence
Determination of tannic acid by direct chemiluminescence in a FIA assembly
B. Gómez-Taylor Corominas, J.V. García Mateo, L. Lahuerta Zamora and J. Martínez Calatayud (Valencia, Spain) . . 1243
Chemiluminescence determination of antibacterial drug trimethoprim by automated sequential injection technique with permanganate and hexametaphosphate as reagents
M. Polášek and M. Jambor (Hradec Králové, Czech Republic) 1253
Flow-injection chemiluminescent determination of vanadium(IV) and total vanadium by means of catalysis on the periodate oxidation of purpurogallin
S. Nakano, K. Sakamoto, A. Takenobu (Tottori, Japan) and T. Kawashima (Tsukuba, Japan). 1263
Fluorimetric flow injection analysis of trace amount of formaldehyde in environmental atmosphere with 5,5-dimethylcyclohexane-1,3-dione
T. Sakai, S.-i. Tanaka, N. Teshima (Toyota, Japan), S. Yasuda (Nagoya, Japan) and N. Ura (Tokyo, Japan) 1271

Applications
Flow injection analysis of DPPH radical based on electron spin resonance
H. Ukeda, Y. Adachi and M. Sawamura (Nankoku, Japan) 1279
A reverse-flow injection analysis method for the determination of dissolved oxygen in fresh and marine waters
S. Muangkaew (Chiang Mai, Thailand), I.D. McKelvie, M.R. Grace (, Australia), M. Rayanakorn, K. Grudpan, J. Jakmunee (Chiang Mai, Thailand) and D. Nacapricha (Bangkok, Thailand) 1285
Reverse flow injection spectrophotometric determination of iron(III) using norfloxacin
T. Pojanagaroon, S. Watanesk (Chiang Mai, Thailand), V. Rattanaphani (Nakhonratchasima, Thailand) and S. Liawrungrath (Chiang Mai, Thailand) 1293
A sensitive and rapid assay for 4-aminophenol in paracetamol drug and tablet formulation, by flow injection analysis with spectrophotometric detection
M.S. Bloomfield (Surrey, UK). 1301
Optimization of a flow injection analysis system for tartaric acid determination in wines
H.A.D.F.O. Silva and L.M.B.C. Álvares-Ribeiro (Porto, Portugal) 1311
Stopped-flow injection simultaneous determination of phosphate and silicate using molybdenum blue
K. Grudpan, P. Ampan, Y. Udnan, S. Jayasvati, S. Lapanantnoppakhun, J. Jakmunee (Chiang Mai, Thailand), G.D. Christian and J. Ruzicka (Seattle, WA, USA). 1319

Determination of trace iron in beer using flow injection systems with in-valve column and bead injection
P. Ampan, S. Lapanantnoppakhun, P. Sooksamiti, J. Jakmunee, S. Kradtap Hartwell, S. Jayasvati (Chiang Mai, Thailand), G.D. Christian (Seattle, WA, USA) and K. Grudpan (Chiang Mai, Thailand) 1327
Advanced sample pretreatment for the monitoring of polycyclic aromatic hydrocarbons and extractable organic halogens in waste water. Flow based procedures with chromatomembrane cells
J. Simon, A. Kirchhoff and O. Gültzow (Berlin, Germany) 1335
Absorption, concentration and determination of trace amounts of air pollutants by flow injection method coupled with a chromatomembrane cell system: application to nitrogen dioxide determination
Y. Wei, M. Oshima (Okayama, Japan), J. Simon (Berlin, Germany), L.N. Moskvin (St. Petersburg, Russia) and S. Motomizu (Okayama, Japan) 1343

Separations
Simultaneous determination of free-form amphetamine in rat's blood and brain by in-vivo microdialysis and liquid chromatography with fluorescence detection
M.-R. Fuh, H.-T. Lin (Taipei, Taiwan, ROC), W.H.T. Pan and F.-R. Lin (, Taiwan, ROC) 1357
Continuous-flow extraction system for elemental association study: a case of synthetic metal-doped iron hydroxide
D. Hinsin, L. Pdungsap (Bangkok, Thailand) and J. Shiowatana (Bangkok, Salaya, Thailand) 1365
Gravitational field-flow fractionation in combination with flow injection analysis or electrothermal AAS for size based iron speciation of particles
R. Chantiwas (Chiang Mai, Thailand), R. Beckett (Clayton, Australia), J. Jakmunee (Chiang Mai, Thailand), I.D. McKelvie (Clayton, Australia) and K. Grudpan (Chiang Mai, Thailand) 1375

Erratum
M.R. Bin Abas, I.A. Takruni, Z. Abdullah (Kuala Lumpur, Malaysia) and N.M. Tahir (Kuala Terengganu, Malaysia) 1385

Instructions for Authors 1387
Volume Contents 1389
Author Index 1399
Subject Index 1403
Calendar of forthcoming meetings N17